VIDEO LINE INSERTER





(VLI-45 / VLI-45U)



Color of the insertion shape can be chosen from 8 colors!
(All 19 colors are for U spec)

Double Layer Drawing ! (New feature)

Scale Insertion! (New feature)

Can insert various shapes by 10 different drawing modes!
Nonvolatile parameters memory (advanced)

This product is a device that draws on the monitor screen in various shapes of 8 colors (orange, yellow, cyan, green, magenta, red, blue, and white).

This product is a device that draw a shape on standard NTSC video signal.

By the connection between Industrial video cameras or Video players and the Analog-monitor, you can put upto 2 shapes insert such as Lines, Squares, Circles.

Video Camera/Video Player

This model

TV monitor/Captureboard














In addition to the two shapes, can be inserted scaler that are new at the same time.





Total Solution Laboratory

Insertion mode cases



Feature of VLI-45

- O8 Colors drawing
- O10 kinds shape drawing
- OVarious insertion by combination draw (double layer function)
- OScale insertion (with scale factor adjustment)
- Operation mode and shape parameter are saved when Power OFF
- OUSB model (VLI-45U) ... A free color can be set from 12 colors besides 7 basic colors.

Specification

Video Signal format	NTSC composit Video(SMPTE-170M)
Input impedance	75Ω (BNC)
Output impedance	75Ω (BNC)
Power consumption	0. 2A @5V
Case size	W140 × H40 × D100
Weight	≤ 400g
Accessory	AC Adaptor
. W 1 1 7 7 1	. I II

- * We recommend using 75ohm coaxial cable within 5m for the BNC cable.
- * There is a possibility to mis-operation when using the ac-adaptor except accessories one.
- * We may change the panel design.

Price (without TAX)

Standard model
VLI-45 ¥82,000
USB model
VLI-45U ¥88,000





We may sell only Board assembly for embedded purpose. Also can display your customer's logo when power up. Please ask for detail information.

Manufacturer:

T.S.Laboratory Corporation 3-9-23-702, Shibazaki-cho, Tachikawa, Tokyo 190-0023, Japan

TEL: 81-42-548-3755
FAX: 81-42-548-3756
URL: http://tslab.com
Email: vli info@tslab.com

Contact Us---